JOURNAL OF BIOMEDICAL MATERIALS RESEARCH

Editor-in-Chief:
James M. Anderson
University Hospitals of Cleveland
The Institute of Pathology of Case Western Reserve University
11100 Euclid Avenue, Room 306
Cleveland, OH 44106-2622

ASSISTANT EDITORS
John Brunski
Kevin E. Healy
Teruo Okano
Robert M. Pilliar
John A. M. Ramshaw
Buddy Ratner

Editorial Board:
C. Mauli Agrawal
Toshihiro Akaike
Luigi Ambrosio
Robert E. Baier
Thomas W. Bauer
Rena Bizios
Lars M. Bjursten
Roy D. Bloebaum
Barbara D. Boyan
John L. Brash
Stanley A. Brown
Donald M. Brunette
Patrick T. Cahalan
Stephen D. Cook
Francis W. Cooke
Stuart L. Cooper
John E. Davies
Paul Ducheyne
Elaine Duncan
Jan Feijen
Dale Feldman
Jeremy L. Gilbert
Jean A. Goggins
Steven L. Goodman
Stuart B. Goodman
David W. Grainger
David C. Greenspan
Ulrich Gross
Robert Guidoin
Stephen R. Hanson
Garth W. Hastings
Michael N. Helmus
Larry L. & June Wilson-Hench
Arne Hensten-Pettersen
Anne Hiltner
Allan S. Hoffman
Jeffrey O. Hollinger
Thomas Horbett
C. Rolfe Howlett
Jeffery A. Hubbell
Samuel F. Hulbert
Jean T. Jacob
Raju G. Kammula
Sandra S. Kaplan
J. Lawrence Katz
Sung Wan Kim
Un Young Kim
Joachim Kohn
Tadashi Kokubo
Kandice Kottke-Marchant
Martine LaBerge
William R. Lacefield
Cato T. Laurencin
Racquel Z. LeGeros
Jack Lemons
Roger E. Marchant
Takehisa Matsuda
Katharine Merritt
Antonios G. Mikos
Nobuo Nakabayashi
Peter Neuenschwander
Sharon J. Northup
Joon B. Park
J. Russell Parsons
Nicholas A. Peppas
Grace L. Picciolo
Hanns Plenk
W. M. Reichert
Clare M. Rimnac
Subrata Saha
Jeff M. Schakenraad
Frederick J. Schoen
Michael V. Sefton
Viktor L. Sevastianov
Steven M. Slack
Myron Spector
L. D. Timmie Topoleski
Michel Vert
Andreas von Recum
William R. Wagner
Jerome A. Werkmeister
David F. Williams
Ioannis V. Yannas
Yao-Ting Yu
Nicholas P. Ziats

Assistant to the Editor:
Bonnie Berry

Editorial Production, John Wiley:
Michael J. Evans

Journal of Biomedical Materials Research (Print ISSN: 0021–9304; Online: ISSN 1097-4636 at Wiley InterScience, www.interscience.wiley.com) is published 22 times a year by Wiley Subscription Services, Inc., a Wiley Company.

Copyright © 2002 Wiley Periodicals, Inc., a Wiley Company. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under Sections 107 or 108 of the United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470.

The copyright notice appearing at the bottom of the first part of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Department, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030; (201) 748-6011, fax (201) 748-6008, e-mail: permreq@wiley.com.

SUBSCRIPTION PRICE: (Volumes 59–63, 2002): Print only: $4495.00 in U.S., $4715.00 in Canada and Mexico, $4902.00 outside North America. Electronic only: $4495.00 worldwide. A combination price of $4720.00 in U.S., $4940.00 in Canada and Mexico, $5127.00 outside North America, includes the subscription in both electronic and print formats. All subscriptions containing a print element, shipped outside U.S., will be sent by air. Payment must be made in U.S. dollars drawn on a U.S. bank. Claims for undelivered copies will be accepted only after the following issue has been delivered. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please contact John Wiley & Sons, Inc., Attn: Journals Admin Dept. UK, 111 River Street, Hoboken, NJ 07030; (201) 748-6645 or e-mail: subinfo@wiley.com.

POSTMASTER: Send address changes to *Journal of Biomedical Materials Research*, Subscription Distribution, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030.

ADVERTISING SALES: Advertising inquiries should be addressed to: Ryan Schaefer, the ARDEL group, 13355 Tenth Ave. N., Suite 108, Minneapolis, MN 55441-5512. Telephone (763) 543-0908. Fax (763) 545-0335.

REPRINTS: Reprint sales and inquiries should be directed to the Customer Service Department, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030. Tel: (201) 748-8789.

OTHER CORRESPONDENCE: Address all other correspondence to: *Journal of Biomedical Materials Research*, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030.

MANUSCRIPTS and correspondence concerning manuscripts under review should be sent to the Editor. *Information for Contributors* appears in the first and last issue of each volume. The contents of this journal are indexed in the following: *BIOSIS, Cambridge Scientific Abstracts, Current Contents/Life Sciences, Engineering Index, Engineering Materials Abstracts (CSA), EMBASE/Excerpta Medica, Index Medicus/MEDLINE, Materials Business File-Steele Arts (CSA), Metals Abstracts/METADEX (CSA), Reference Update, Research Alert (**ISI**), Science Citation Index (ISI), SCISEARCH Database (ISI), Biomedical Engineering Citation Index (BECI),* Applied Science & Technology Index, and Applied Science & Technology Abstracts.

This paper meets the requirements of ANSI/NISO #Z39.48-1992 (Permanence of Paper). ♾

Journal of Biomedical Materials Research
Author Index—Volume 62

Abraham, G. A. See Méndez, J. A., 299
Aguilar, M. R. See Méndez, J. A., 299
Akagawa, Y. See Yamasaki, Y., 99
Akaike, T. See Kim, J. H., 613
Allameh, S. See Soboyejo, W. O., 56
Ambrose, W. W. See Kusy, R. P., 106
Anderson, J. M. See Shive, M. S., 163
Anderson, K. A. See Giliberti, D. C., 422
Andrade, J. C. T.
—; Camilli, J. A.; Kawachi, E. Y.; Bertran, C. A.: Behavior of dense and porous hydroxyapatite implants and tissue response in rat femoral defects, 30
Aritani, H. See Nakahira, A., 550
Aro, H. T. See Itälä, A., 404
Aronsson, B.-O. See Viornery, C., 149
Axmann, D. See Rupp, F., 567

Bale, S. D. See Sanders, J. E., 222
Bancroft, G. N. See Sikavitsas, V. I., 136
Barbosa, I. See Papy-Garcia, D., 46
Barritault, D. See Meddahi, A., 525
Barritault, D. See Papy-Garcia, D., 46
Bei, J. See Yang, J., 438
Berndt, C. C. See Sun, L., 228
Bertran, C. A. See Andrade, J. C. T., 30
Bingmann, D. See Wiemann, M., 119
Boehm, C. See Mata, A., 499
Böhni, H. See Contu, F., 412
Boland, T. See Caldwell, R. A., 514
Boyan, B. D. See Lohmann, C. H., 204
Brée, F. See Meddahi, A., 525
Bressiani, A. H. See Sepulveda, P., 587
Bressiani, J. C. See Sepulveda, P., 587
Brodbeck, W. G. See Shive, M. S., 163
Brouwer, L. A. See Pieper, J. S., 185
Busscher, H. J. See de Vos, P., 430
Byun, Y. See Lee, D. Y., 372

Cai, K.
—; Yao, K.; Hou, X.; Wang, Y.; Hou, Y.; Yang, Z.; Li, X.; Xie, H.: Improvement of the functions of osteoblasts seeded on modified poly(D,L-lactic acid) with poly(aspartic acid), 283
Calandrelli, L.
—; De Rosa, G.; Errico, M. E.; La Rotonda, M. I.; Laurienzo, P.; Malinconico, M.; Oliva, A.; Quaglia, F.: Novel graft PLLA-based copolymers: Potential of their application to particle technology, 244
Caldwell, R. A.
—; Woodell, J. E.; Ho, S. P.; Shalaby, S. W.; Boland, T.; Langan, E. M.; LaBerge, M.: *In vitro* evaluation of phosphonylated low-density polyethylene for vascular applications, 514
Calero, P. See Páez, J. M., 73
Camilli, J. A. See Andrade, J. C. T., 30
Cao, Y. See Yang, J., 438
Cappello, J. See Nagarsekar, A., 195
Carrera, A. See Páez, J. M., 73
Caruelle, J.-P. See Meddahi, A., 525
Caruelle, J.-P. See Papy-Garcia, D., 46
Castillo-Olivares, J. L. See Páez, J. M., 73
Chae, S. Y. See Lee, D. Y., 372
Chatzinikolaidou, M. See Wiemann, M., 119
Cheang, H. N. See Sun, L., 228
Chen, Z.
—; Ward, R.; Tian, Y.; Malizia, F.; Gracias, D. H.; Shen, Y. R.; Somorjai, G. A.: Interaction of fibrinogen with surfaces of end-group-modified polyurethanes: A surface-specific sum-frequency-generation vibrational spectroscopy study, 254
Choi, S.-Y. See Oh, S.-H., 593
Chung, C.-M.
—; Kim, M.-S.; Kim, J.-G.; Jang, D.-O.: Synthesis and photopolymerization of trifunctional methacrylates and their application as dental monomers, 622
Cochran, D. L. See Lohmann, C. H., 204
Coillard, C. See Rivard, C.-H, 488
Contu, F.
—; Elsener, B.; Böhni, H.: Characterization of implant materials in fetal bovine serum and sodium sulfate by electrochemical impedance spectroscopy. I. Mechanically polished samples, 412
Cordón, A. See Páez, J. M., 73
Crissman, J. See Nagarsekar, A., 195
Crissman, M. See Nagarsekar, A., 195

Dalby, M. See Méndez, J. A., 299
Dao, L. H. See Jiang, X., 507
de Haan, B. J. See de Vos, P., 430
De Rosa, G. See Calandrelli, L., 244
de Vos, P.
—; van Hoogmoed, C. G.; de Haan, B. J.; Busscher, H. J.: Tissue responses against immunoisolating alginate-PLL capsules in the immediate posttransplant period, 430
Dean, D. D. See Lohmann, C. H., 204
Dee, K. C See Giliberti, D. C., 422
Descouts, P. See Viornery, C., 149
Di Silvio, L. See Méndez, J. A., 299
Duchesnay, A. See Papy-Garcia, D., 46
Ducheyne, P. See Livingston, T., 1

Elsener, B. See Contu, F., 412
Errico, M. E. See Calandrelli, L., 244
Evans, P. See Zreiqat, H., 175

Feng, L. See Zhu, H., 532
Ferrari, F. See Nagarsekar, A., 195
Fleischman, A. J. See Mata, A., 499
Fujishima, A. See Suzuki, M., 37

Gao, C. See Zhu, H., 532
Gao, J.
—; Qian, F.; Szymanski-Exner, A.; Stowe, N.; Haaga, J.: *In vivo* drug

distribution dynamics in thermoablated and normal rabbit livers from biodegradable polymers, 308
Garino, J. See Livingston, T., 1
Gautron, J. See Meddahi, A., 525
Geis-Gerstorfer, J. See Rupp, F., 567
Ghandehari, H. See Nagarsekar, A., 195
Giliberti, D. C.
—; Anderson, K. A.; Dee, K. C: A jet impingement investigation of osteoblastic cell adhesion, 422
Gracias, D. H. See Chen, Z., 254
Grätzel, M. See Viornery, C., 149
Greenspan, D. See Leonor, I. B., 82
Gross, K. A. See Sun, L., 228
Grynpas, M. D. See Waldman, S. D., 323
Guenther, H. L. See Viornery, C., 149

Haaga, J. See Gao, J., 308
Hafmans, T. See Pieper, J. S., 185
Hamada, Y. See Yamasaki, Y., 99
Han, D.-J. See Lee, D. Y., 372
Harada, Y. See Watanabe, E., 540
Harimoto, M.
—; Yamato, M.; Hirose, M.; Takahashi, C.; Isoi, Y.; Kikuchi, A.; Okano, T.: Novel approach for achieving double-layered cell sheets co-culture: overlaying endothelial cell sheets onto monolayer hepatocytes utilizing temperature-responsive culture dishes, 464
Heino, T. See Itälä, A., 404
Hell-Vocke, A. K. See Lohmann, C. H., 204
Hentunen, T. See Itälä, A., 404
Herrero, E. J. See Páez, J. M., 73
Hirose, M. See Harimoto, M., 464
Hisamitsu, H. See Suzuki, M., 37
Ho, H.-O
—; Tsai, T.; Liu, C.-M.; Sheu, M.-T.: Influence of cosolvents and *in situ* forming hydroxyapatite on the mechanical characteristics of collagen films, 22
Ho, S. P. See Caldwell, R. A., 514
Horiuchi, H. See Murakami, N., 169
Hou, X. See Cai, K., 283
Hou, Y. See Cai, K., 283
Howlett, C. R. See Zreiqat, H., 175
Hupa, M. See Itälä, A., 404

Ichikawa, A.
—; Tsuchiya, T.: Studies on the tumor promoting mechanism of hard and soft segment models of polyetherurethane: Tyr^{265} phosphorylation of connexin43 is a key step in the GJIC inhibitory reaction induced by polyetherurethane, 157
Ishihara, K. See Ogawa, R., 214
Isoi, Y. See Harimoto, M., 464
Itälä, A.
—; Ylänen, H. O.; Yrjans, J.; Heino, T.; Hentunen, T.; Hupa, M.; Aro, H. T.: Characterization of microrough bioactive glass surface: Surface reactions and osteoblast responses *in vitro*, 404
Ito, A. See Leonor, I. B., 82
Ito, A. See Sogo, Y., 457
Itoh, D.
—; Yoneda, S.; Kuroda, S.; Kondo, H.; Umezawa, A.; Ohya, K.; Ohyama, T.; Kasugai, S.: Enhancement of osteogenesis on hydroxyapatite surface coated with synthetic peptide (EEEEEEEPRGDT) *in vitro*, 292
Iwaki, H. See Miyaguchi, M., 331
Iwasaki, Y. See Ogawa, R., 214

Jang, D.-O. See Chung, C.-M., 622
Jansen, J. A. See van den Dolder, J., 350
Jennissen, H. P. See Wiemann, M., 119
Ji, J. See Zhu, H., 532
Jiang, W. See Tang, L., 471
Jiang, X.
—; Tessier, D.; Dao, L. H.; Zhang, Z.: Biostability of electrically conductive polyester fabrics: An *in vitro* study, 507

Kadoma, Y. See Suzuki, M., 37
Kadoya, Y. See Miyaguchi, M., 331
Kaga, M. See Noda, M., 237
Kandel, R. A. See Waldman, S. D., 323
Kaneeda, T. See Watanabe, E., 540
Kanzaki, N. See Leonor, I. B., 82
Kao, W. J.
—; Liu, Y.: Intracellular signaling involved in macrophage adhesion and FBGC formation as mediated by ligand–substrate interaction, 478
Kasugai, S. See Itoh, D., 292
Kawachi, E. Y. See Andrade, J. C. T., 30
Khor, K. A. See Sun, L., 228
Kikuchi, A. See Harimoto, M., 464
Kikuchi, M.
—; Koyama, Y.; Takakuda, K.; Miyairi, H.; Shirahama, N.; Tanaka, J.: *In vitro* change in mechanical strength of β-tricalcium phosphate/copolymerized poly-L-lactide composites and their application for guided bone regeneration, 265
Kim, H. K. See Kim, J. H., 613
Kim, J.-G. See Chung, C.-M., 622
Kim, J. H.
—; Kim, S. H.; Kim, H. K.; Akaike, T.; Kim, S. C.: Adhesion and growth of endothelial cell on amphiphilic PU/PS IPN surface: Effect of amphiphilic balance and immobilized collagen, 613
Kim, K. N. See Oh, S.-H., 593
Kim, K.-W. See Lee, D. Y., 372
Kim, M.-S. See Chung, C.-M., 622
Kim, S. C. See Kim, J. H., 613
Kim, S. H. See Kim, J. H., 613
Knabe, C. See Zreiqat, H., 175
Kobayashi, A. See Miyaguchi, M., 331
Kodama, M. See Wang, C., 315
Kojima, K. See Suzuki, M., 37
Kondo, H. See Itoh, D., 292
König, B., Jr. See Sepulveda, P., 587
Koutsopoulos, S.
—; Synthesis and characterization of hydroxyapatite crystals: A review study on the analytical methods, 600
Koyama, Y. See Kikuchi, M., 265
Kreutzer, D. See Valdes, T. I., 273
Kubo, T. See Yamasaki, Y., 99
Kuroda, S. See Itoh, D., 292
Kusy, R. P.
—; Ambrose, W. W.; LaVanier, L. A.; Newman, J. G.; Whitley, J. Q.: Analyses of rampant corrosion in stainless-steel retainers of orthodontic patients, 106
Kusy, R. P. See Rucker, B. K., 338

La Rotonda, M. I. See Calandrelli, L., 244
LaBerge, M. See Caldwell, R. A., 514
Langan, E. M. See Caldwell, R. A., 514
Laurienzo, P. See Calandrelli, L., 244
LaVanier, L. A. See Kusy, R. P., 106
Lee, D. Y.
—; Yang, K.; Lee, S.; Chae, S. Y.; Kim, K.-W.; Lee, M. K.; Han, D.-J.; Byun, Y.: Optimization of monomethoxy-polyethylene glycol grafting on the pancreatic islet capsules, 372
Lee, M. K. See Lee, D. Y., 372
Lee, S. See Lee, D. Y., 372

Lee, Y.-K. See Oh, S.-H., 593
Leonor, I. B.
—; Ito, A.; Onuma, K.; Kanzaki, N.; Zhong, Z. P.; Greenspan, D.; Reis, R. L.: *In situ* study of partially crystallized Bioglass® and hydroxylapatite *in vitro* bioactivity using atomic force microscopy, 82
Li, X. See Cai, K., 283
Lin, R. See Zhu, H., 532
Liu, C.-M. See Ho, H.-O, 22
Liu, L.-S.
—; Ng, C.-K.; Thompson, A. Y.; Poser, J. W.; Spiro, R. C.: Hyaluronate-heparin conjugate gels for the delivery of basic fibroblast growth factor (FGF-2), 128
Liu, Y. See Kao, W. J., 478
Livingston, T.
—; Ducheyne, P.; Garino, J.: *In vivo* evaluation of a bioactive scaffold for bone tissue engineering, 1
Lockwood, P. E. See Noda, M., 237
Lohmann, C. H.
—; Tandy, E. M.; Sylvia, V. L.; Hell-Vocke, A. K.; Cochran, D. L.; Dean, D. D.; Boyan, B. D.; Schwartz, Z.: Response of normal female human osteoblasts (NHOst) to 17β-estradiol is modulated by implant surface morphology, 204

Maestro, M. See Páez, J. M., 73
Malinconico, M. See Calandrelli, L., 244
Malizia, F. See Chen, Z., 254
Marcantonio, N. See Soboyejo, W. O., 56
Markland, P. See Yang, Z., 14
Martelly, I. See Papy-Garcia, D., 46
Maspero, F. A.
—; Ruffieux, K.; Müller, B.; Wintermantel, E.: Resorbable defect analog PLGA scaffolds using CO_2 as solvent: Structural characterization, 89
Mata, A.
—; Boehm, C.; Fleischman, A. J.; Muschler, G.; Roy, S.: Growth of connective tissue progenitor cells on microtextured polydimethylsiloxane surfaces, 499
Matsuda, T.
—; Mizutani, M.: Liquid acrylate-endcapped biodegradable poly(ε-caprolactone-*co*-trimethylene carbonate). II. Computer-aided stereolithographic microarchitectural surface photoconstructs, 395
Matsuda, T. See Mizutani, M., 387
Matsuura, N. See Yamasaki, Y., 99
Meddahi, A.
—; Brée, F.; Papy-Garcia, D.; Gautron, J.; Barritault, D.; Caruelle, J.-P.: Pharmacological studies of $RGTA_{11}$, a heparan sulfate mimetic polymer, efficient on muscle regeneration, 525
Méndez, J. A.
—; Aguilar, M. R.; Abraham, G. A.; Vázquez, B.; Dalby, M.; Di Silvio, L.; San Román, J.: New acrylic bone cements conjugated to vitamin E: Curing parameters, properties, and biocompatibility, 299
Mercer, C. See Soboyejo, W. O., 56
Meseguer, L. See Sepulveda, P., 587
Mikos, A. G. See Sikavitsas, V. I., 136
Mikos, A. G. See Tanahashi, K., 558
Millán, I. See Páez, J. M., 73
Miyaguchi, M.
—; Kobayashi, A.; Iwaki, H.; Ohashi, H.; Kadoya, Y.; Yamano, Y.: Human monocyte response to retrieved polymethylmethacrylate particles, 331
Miyairi, H. See Kikuchi, M., 265
Miyazaki, T. See Suzuki, M., 37
Mizutani, M.
—; Matsuda, T.: Liquid acrylate-endcapped biodegradable poly(ε-caprolactone-*co*-trimethylene carbonate). I. Preparation and visible light-induced photocuring characteristics, 387
Mizutani, M. See Matsuda, T., 395
Mori, A. See Watanabe, E., 540
Moriya, H. See Watanabe, E., 540
Moussy, F. See Valdes, T. I., 273
Müller, B. See Maspero, F. A., 89
Murakami, N.
—; Saito, N.; Horiuchi, H.; Okada, T.; Nozaki, K.; Takaoka, K.: Repair of segmental defects in rabbit humeri with titanium fiber mesh cylinders containing recombinant human bone morphogenetic protein-2 (rhBMP-2) and a synthetic polymer, 169
Muschler, G. See Mata, A., 499

Nagarsekar, A.
—; Crissman, J.; Crissman, M.; Ferrari, F.; Cappello, J.; Ghandehari, H.: Genetic synthesis and characterization of pH- and temperature-sensitive silk-elastinlike protein block copolymers, 195
Nagata, K. See Watanabe, E., 540
Nakahira, A.
—; Tamai, M.; Aritani, H.; Nakamura, S.; Yamashita, K.: Biocompatibility of dense hydroxyapatite prepared using an SPS process, 550
Nakamura, S. See Nakahira, A., 550
Nemetski, B. See Soboyejo, W. O., 56
Neumann, T. See Sanders, J. E., 222
Newman, J. G. See Kusy, R. P., 106
Ng, C.-K. See Liu, L.-S., 128
Noda, M.
—; Wataha, J. C.; Lockwood, P. E.; Volkmann, K. R.; Kaga, M.; Sano, H.: Low-dose, long-term exposures of dental material components alter human monocyte metabolism, 237
Nozaki, K. See Murakami, N., 169

Ogawa, R.
—; Iwasaki, Y.; Ishihara, K.: Thermal property and processability of elastomeric polymer alloy composed of segmented polyurethane and phospholipid polymer, 214
Oh, S.-H.
—; Choi, S.-Y.; Lee, Y.-K.; Kim, K. N.: Preparation of calcium aluminate cement for hard tissue repair: effects of lithium fluoride and maleic acid on setting behavior, compressive strength, and biocompatibility, 593
Ohashi, H. See Miyaguchi, M., 331
Ohya, K. See Itoh, D., 292
Ohyama, T. See Itoh, D., 292
Okada, T. See Murakami, N., 169
Okano, T. See Harimoto, M., 464
Okazaki, M. See Yamasaki, Y., 99
Oliva, A. See Calandrelli, L., 244
Onuma, K. See Leonor, I. B., 82
Onuma, K. See Sogo, Y., 457
Ozawa, N.
—; Yao, T.: Micropattern formation of apatite by combination of a biomimetic process and transcription of resist pattern, 579

Páez, J. M. G.
—; Carrera, A.; Herrero, E. J.; Millán, I.; Rocha, A.; Cordón, A.; Téllez, G.; Maestro, M.; Calero, P.; Castillo-Olivares, J. L.: Mechanical behavior of chemically treated ostrich pericardium subjected to uniaxial tensile testing: influence of the suture, 73

Papy-Garcia, D.
—; Barbosa, I.; Duchesnay, A.; Saadi, S.; Caruelle, J.-P.; Barritault, D.; Martelly, I.: Glycosaminoglycan mimetics (RGTA) modulate adult skeletal muscle satellite cell proliferation *in vitro*, 46
Papy-Garcia, D. See Meddahi, A., 525
Péchy, P. See Viornery, C., 149
Pieper, J. S.
—; Hafmans, T.; van Wachem, P. B.; van Luyn, M. J. A.; Brouwer, L. A.; Veerkamp, J. H.; van Kuppevelt, T. H.: Loading of collagen-heparan sulfate matrices with bFGF promotes angiogenesis and tissue generation in rats, 185
Pilliar, R. M. See Waldman, S. D., 323
Poser, J. W. See Liu, L.-S., 128

Qian, F. See Gao, J., 308
Quaglia, F. See Calandrelli, L., 244

Reis, R. L. See Leonor, I. B., 82
Rhalmi, S. See Rivard, C.-H, 488
Ricci, J. See Soboyejo, W. O., 56
Rivard, C.-H
—; Rhalmi, S.; Coillard, C.: *In vivo* biocompatibility testing of peek polymer for a spinal implant system: A study in rabbits, 488
Rocha, A. See Páez, J. M., 73
Roy, S. See Mata, A., 499
Rucker, B. K.
—; Kusy, R. P.: Theoretical investigation of elastic flexural properties for multistranded orthodontic archwires, 338
Ruffieux, K. See Maspero, F. A., 89
Rumpf, H. See Wiemann, M., 119
Rupp, F.
—; Axmann, D.; Ziegler, C.; Geis-Gerstorfer, J.: Adsorption/desorption phenomena on pure and Teflon® AF-coated titania surfaces studied by dynamic contact angle analysis, 567

Saadi, S. See Papy-Garcia, D., 46
Sacks, M. S.
—; Schoen, F. J.: Collagen fiber disruption occurs independent of calcification in clinically explanted bioprosthetic heart valves, 359
Saito, N. See Murakami, N., 169
Sakurai, T. See Sogo, Y., 457
San Román, J. See Méndez, J. A., 299
Sanders, J. E.
—; Bale, S. D.; Neumann, T.: Tissue response to microfibers of different polymers: Polyester, polyethylene, polylactic acid, and polyurethane, 222
Sano, H. See Noda, M., 237
Schmitz, I. See Wiemann, M., 119
Schoen, F. J. See Sacks, M. S., 359
Schulze-Tanzil, G. See Zreiqat, H., 175
Schwartz, Z. See Lohmann, C. H., 204
Sepulveda, P.
—; Bressiani, A. H.; Bressiani, J. C.; Meseguer, L.; König, B., Jr.: *In vivo* evaluation hydroxyapatite foams, 587
Shakibaei, M. See Zreiqat, H., 175
Shalaby, S. W. See Caldwell, R. A., 514
Shang, Q. See Yang, J., 438
Shen, J. See Zhu, H., 532
Shen, Y. R. See Chen, Z., 254
Sheu, M.-T. See Ho, H.-O, 22
Shi, G. See Yang, J., 438
Shimazu, A. See Yamasaki, Y., 99
Shirahama, N. See Kikuchi, M., 265
Shive, M. S.
—; Brodbeck, W. G.; Anderson, J. M.: Activation of caspase 3 during shear stress-induced neutrophil apoptosis on biomaterials, 163
Sikavitsas, V. I.
—; Bancroft, G. N.; Mikos, A. G.: Formation of three-dimensional cell/polymer constructs for bone tissue engineering in a spinner flask and a rotating wall vessel bioreactor, 136
Soboyejo, W. O.
—; Nemetski, B.; Allameh, S.; Marcantonio, N.; Mercer, C.; Ricci, J.: Interactions between MC3T3-E1 cells and textured Ti6Al4V surfaces, 56
Sogo, Y.
—; Sakurai, T.; Onuma, K.; Ito, A.: The most appropriate (Ca+Zn)/P molar ratio to minimize the zinc content of ZnTCP/HAP ceramic used in the promotion of bone formation, 457
Somorjai, G. A. See Chen, Z., 254
Spauwen, P. H. M. See van den Dolder, J., 350
Spencer, P.
—; Wang, Y.: Adhesive phase separation at the dentin interface under wet bonding conditions, 447
Spiro, R. C. See Liu, L.-S., 128
Stowe, N. See Gao, J., 308
Sun, L.
—; Berndt, C. C.; Khor, K. A.; Cheang, H. N.; Gross, K. A.: Surface characteristics and dissolution behavior of plasma-sprayed hydroxyapatite coating, 228
Suzuki, M.
—; Yamamoto, M.; Fujishima, A.; Miyazaki, T.; Hisamitsu, H.; Kojima, K.; Kadoma, Y.: Raman and IR studies on adsorption behavior of adhesive monomers in a metal primer for Au, Ag, Cu, and Cr surfaces, 37
Suzuki, M. See Watanabe, E., 540
Sylvia, V. L. See Lohmann, C. H., 204
Szymanski-Exner, A. See Gao, J., 308

Takahashi, C. See Harimoto, M., 464
Takahashi, J. See Yamasaki, Y., 99
Takakuda, K. See Kikuchi, M., 265
Takaoka, K. See Murakami, N., 169
Tamai, M. See Nakahira, A., 550
Tanahashi, K.
—; Mikos, A. G.: Cell adhesion on poly(propylene fumarate-*co*-ethylene glycol) hydrogels, 558
Tanaka, J. See Kikuchi, M., 265
Tandy, E. M. See Lohmann, C. H., 204
Tang, L.
—; Jiang, W.; Welty, S. E.: The participation of P- and E-selectins on biomaterial-mediated tissue responses, 471
Téllez, G. See Páez, J. M., 73
Tessier, D. See Jiang, X., 507
Thompson, A. Y. See Liu, L.-S., 128
Tian, Y. See Chen, Z., 254
Tsai, T. See Ho, H.-O, 22
Tsuchiya, T. See Ichikawa, A., 157

Uchida, S. See Wang, C., 315
Uchida, T. See Yamasaki, Y., 99
Umezawa, A. See Itoh, D., 292
Utsumi, M. See Watanabe, E., 540

Valdes, T. I.
—; Kreutzer, D.; Moussy, F.: The chick chorioallantoic membrane as a novel *in vivo* model for the testing of biomaterials, 273
van den Dolder, J.
—; Vehof, J. W. M.; Spauwen, P. H. M.; Jansen, J. A.: Bone formation by rat bone marrow cells cultured on titanium fiber mesh: Effect of *in vitro* culture time, 350
van Hoogmoed, C. G. See de Vos, P., 430
van Kuppevelt, T. H. See Pieper, J. S., 185

van Luyn, M. J. A. See Pieper, J. S., 185
van Wachem, P. B. See Pieper, J. S., 185
Vázquez, B. See Méndez, J. A., 299
Veerkamp, J. H. See Pieper, J. S., 185
Vehof, J. W. M. See van den Dolder, J., 350
Viornery, C.
—; Guenther, H. L.; Aronsson, B.-O.; Péchy, P.; Descouts, P.; Grätzel, M.: Osteoblast culture on polished titanium disks modified with phosphonic acids, 149
Volkmann, K. R. See Noda, M., 237

Waldman, S. D.
—; Grynpas, M. D.; Pilliar, R. M.; Kandel, R. A.: Characterization of cartilagenous tissue formed on calcium polyphosphate substrates *in vitro*, 323
Wang, C.
—; Zhang, Q.; Uchida, S.; Kodama, M.: A new vascular prosthesis coated with polyamino-acid urethane copolymer (PAU) to enhance endothelialization, 315
Wang, S. See Yang, J., 438
Wang, W. See Yang, J., 438
Wang, Y. See Cai, K., 283
Wang, Y. See Spencer, P., 447
Ward, R. See Chen, Z., 254
Wataha, J. C. See Noda, M., 237
Watanabe, E.
—; Suzuki, M.; Nagata, K.; Kaneeda, T.; Harada, Y.; Utsumi, M.; Mori, A.; Moriya, H.: Oxidation-induced dynamic changes in morphology reflected on freeze-fractured surface of gamma-irradiated ultra-high molecular weight polyethylene components, 540
Welty, S. E. See Tang, L., 471
Whitley, J. Q. See Kusy, R. P., 106
Wiemann, M.
—; Jennissen, H. P.; Rumpf, H.; Winkler, L.; Chatzinikolaidou, M.; Schmitz, I.; Bingmann, D.: A reporter-cell assay for the detection of BMP-2 immobilized on porous and nonporous materials, 119
Winkler, L. See Wiemann, M., 119
Wintermantel, E. See Maspero, F. A., 89
Woodell, J. E. See Caldwell, R. A., 514

Xie, H. See Cai, K., 283

Yamamoto, M. See Suzuki, M., 37
Yamano, Y. See Miyaguchi, M., 331
Yamasaki, Y.
—; Yoshida, Y.; Okazaki, M.; Shimazu, A.; Uchida, T.; Kubo, T.; Akagawa, Y.; Hamada, Y.; Takahashi, J.; Matsuura, N.: Synthesis of functionally graded $MgCO_3$ apatite accelerating osteoblast adhesion, 99
Yamashita, K. See Nakahira, A., 550
Yamato, M. See Harimoto, M., 464
Yang, G. See Yang, J., 438
Yang, J.
—; Shi, G.; Bei, J.; Wang, S.; Cao, Y.; Shang, Q.; Yang, G.; Wang, W.: Fabrication and surface modification of macroporous poly(L-lactic acid) and poly(L-lactic-*co*-glycolic acid) (70/30) cell scaffolds for human skin fibroblast cell culture, 438
Yang, K. See Lee, D. Y., 372
Yang, V. C. See Yang, Z., 14
Yang, Z.
—; Zhang, Y.; Markland, P.; Yang, V. C.: Poly(glutamic acid) poly(ethylene glycol) hydrogels prepared by photoinduced polymerization: Synthesis, characterization, and preliminary release studies of protein drugs, 14
Yang, Z. See Cai, K., 283
Yao, K. See Cai, K., 283
Yao, T. See Ozawa, N., 579
Ylänen, H. O. See Itälä, A., 404
Yoneda, S. See Itoh, D., 292
Yoshida, Y. See Yamasaki, Y., 99
Yrjans, J. See Itälä, A., 404

Zannettino, A. See Zreiqat, H., 175
Zhang, M. See Zhang, Y., 378
Zhang, Q. See Wang, C., 315
Zhang, Y.
—; Zhang, M.: Calcium phosphate/chitosan composite scaffolds for controlled *in vitro* antibiotic drug release, 378
Zhang, Y. See Yang, Z., 14
Zhang, Z. See Jiang, X., 507
Zhong, Z. P. See Leonor, I. B., 82
Zhu, H.
—; Ji, J.; Lin, R.; Gao, C.; Feng, L.; Shen, J.: Surface engineering of poly(D,L-lactic acid) by entrapment of chitosan-based derivatives for the promotion of chondrogenesis, 532
Ziegler, C. See Rupp, F., 567
Zreiqat, H.
—; Howlett, C. R.; Zannettino, A.; Evans, P.; Schulze-Tanzil, G.; Knabe, C.; Shakibaei, M.: Mechanisms of magnesium-stimulated adhesion of osteoblastic cells to commonly used orthopaedic implants, 175

Journal of Biomedical Materials Research
Subject Index—Volume 62

Acrylic bone cements, 299
Adhesion, 99, 175
Adhesive, 447
Adhesive primer for metal, 37
Adsorption structure, 37
AES, 106
Albumin, 14
Alginate, 430
Ammonia plasma treatment, 438
Angiogenesis, 185
Animal models, 273
Apatite, 579
Apatite-collagen composite, 99
Apoptosis, 163
Archwires, 338
Articular cartilage, 323
Atomic force microscopy, 82

β-tricalcium phosphate (TCP), 265
Balb/c 3T3 A31-1-1 cells, 157
Bioactive ceramic, 1
Bioactive glass, 404
Bioactivity, 82
Bioassay, 119
Biocompatibility, 149, 299, 488, 550, 613
Biodegradable, 395
Bioglass®, 82
Biological evaluation, 299
Biomaterial, 73, 273, 471
Biomedical polymer, 254
Biomimetic process, 579
Bioprostheses, 359
Bioreactor, 136
Biostability, 507
Blood compatibility, 214
Bone defect, 169
Bone grafts, 587
Bone implant, 119
Bone marrow stromal cells, 1, 136, 422
Bone morphogenetic protein (BMP), 169
Bone tissue engineering, 136
Bulk degradation, 387

Calcification, 359
Calcium aluminate cement, 593
Calcium phosphate, 378
Calcium polyphosphate substrates, 323
Camphorquinone, 387
Carrier, 169
Caspases, 163
Catheter, 514
Cell adhesion, 422, 558
Cell affinity, 283
Cell attachment, 292
Cell culture, 378
Cell proliferation, 457
Cell–surface interactions, 56
Characterization, 600
Chicken chorioallantoic membrane, 273
Chitosan, 532
Chitosan scaffold, 378
Chondrocyte, 323, 532
Clinical explants, 359
CoCrMo, 412
Collagen, 22, 185, 359, 613
Composite, 265
Conjugate gel, 128
Connective tissue progenitor cells, 499
Connexin 43, 157
Controlled release, 128
Copolymerized poly-L-lactide (CPLA), 265
Corrosion, 106
Corrosion rate, 412
Crushed muscle, 525
Crystallinity, 228
Culture time, 350
Cytokines, 331
Cytotoxicity, 237, 593

Damage, 359
Dense, 30
Dental alloy, 37
Dental composite, 622
Dental material, 237
Dentin, 447

Differentiation, 204
Dissolution, 228
Double-layered co-culture, 464
Drug delivery, 195, 378
Drug immobilization, 395

ε-caprolactone, 387
Ectopic bone formation, 350
EDL, 525
Elastic properties, 338
Electrical conductivity, 507
Encapsulation, 430
Endothelial cell, 613
Endothelial cell sheet, 464
Endothelialization, 315
Entrapment, 532
ESCA, 106
Expanded polytetrafluoroethylene (ePTFE), 315
Extra cellular fluid action, 30

FGF-2, 128
Fibroblast growth factor, 46
Fibronectin, 478
Fibrosis, 471
Fibrous encapsulation, 222
Freeze-fracture, 540
Friction, 514
Functionally graded $MgCO_3$ apatite, 99

Gamma radiation, 540
Gap junctional intercellular communication, 157
Gelcasting of foams, 587
Genetic engineering, 195
Glutamic acid, 14
Glycosaminoglycan, 46
Grafted copolymer, 244
Growth factor, 46, 185
Guided bone regeneration (GBR), 265

Heart valves, 359
Heat treatment, 214
Hemolysis, 593

Heparin, 128
Heparan-like polymer, 525
Heparan sulfate, 185
Heparan sulfate mimetics, 46
Hepatocyte function, 464
Host foreign-body reaction, 478
Human monocyte, 331
Human skin fibroblast cells, 438
Hyaluronate, 128
Hydrogel, 14, 558
Hydrolysis, 387
Hydrophilic coating, 244
Hydrophilicity, 558
Hydroxyapatite, 22, 30, 228, 292, 457, 550
Hydroxyapatite crystals, 600

Image analysis, 89
Immunoprotection, 372
Implant, 149, 222
Implantation, 315
In situ, 82
In vitro, 82
In vitro testing, 299
In vivo drug transport, 308
In vivo studies, 273
Inflammation, 471
Infrared spectrum, 37
Insulin, 14
Insulin secretion, 372
Integrins, 175, 422
Interaction, 283
Interconnected porosity, 89
Interface, 447
Interface capacitance, 412
Interfacial reaction, 567
Intratumoral drug delivery, 308
IPN, 613

Jet impingement, 422

Laser microgrooves, 56
Lithium fluoride, 593
Long term, 237
Low-density polyethylene, 514
Low dose, 237
Lysozyme, 14

Magnesium, 99
Magnesium ions, 175
Maleic acid, 593
Material properties, 222
Matrix proteins, 175
MC3T3-E1 cells, 56, 119
Mechanical behavior, 73
Mechanical strength, 265
Microfabrication, 499
Micropattern, 579
Microradiograph, 30
Microrough surface, 404
Microspheres, 244
Microstructure, 550
Modulus of elasticity, 22
mPEG-grafting, 372
Multistranded, 338

Nerve roots, 488
Neutrophils, 163
Nickel titanium, 338

Open circuit potential, 412
Orthodontics, 106
Orthopaedic implants, 175
Osseointegration, 292
Osteoblast, 99, 119, 136, 149, 175, 204, 283, 292, 350
Osteoblast-like cells, 404
Osteointegration, 587
Osteolysis, 331
Osteoprogenitor cells, 1
Ostrich pericardium, 73
Oxidation, 540

Pancreatic islet capsules, 372
Particle melting status, 228
Peptide-modified surfaces, 422
PGE_2, 204
Phagocytes, 471
Phase separation, 447
Photocuring, 387, 395
Photoinduced polymerization, 14
Photopolymerization reactivity, 622
PHSRN, 478
Plasma-sprayed coating, 228
PLGA, 89
Polarization resistance, 412
Poly(aspartic acid), 283
Poly(D,L-lactic acid), 283, 532
Poly-D,L-lactic acid-polyethylene glycol block copolymer (PLA-PEG), 169
Poly(D,L-lactic-*co*-glycolic acid), 136
Poly(D,L-lactide-*co*-glycolide), 308
Poly(ethylene glycol), 14
Poly(lactic acid), 244
Poly-L-lysine, 430
Poly(propylene fumarate-*co*-ethylene glycol), 558
Polyamino-acid urethane block copolymer (PAU), 315
Polydimethylsiloxane, 499
Polyester textile, 507
Polyetherurethane, 157
Polylactone, 438
Polymer, 488
Polymer alloy, 214
Polymer implants, 308
Polymethylmethacrylate, 331
Polypeptide, 14
Polypyrrole, 507
Polyurethane, 163, 254
Porous, 30, 404
Porous hydroxyapatite, 587
Preparation, 600
Protein adsorption, 254, 412, 430, 567
Protein kinase, 478
Protein polymers, 195
Protein release, 14

Rabbit tibia, 587
Raman spectroscopy, 447
Raman spectrum, 37
Regenerating agents, 46
Regeneration, 525
Resist pattern, 579
Resorption, 1
Retrieved particle, 331
RF ablation, 308
RGD, 292, 478
RGTA pharmacokinetic, 525

Satellite cells, 46
Scaffold, 136
Scanning electron microscopy, 540
Scatter factor–hepatocyte growth factor, 46
Segmented polyurethane, 214
Selectin, 471
17β-estradiol, 204
Shear stress, 163
Shrinkage, 622
Silk-elastinlike protein, 195
Soft lithography, 499
Spark plasma sintering, 550
Spine, 488
Stainless steel, 106, 338
Stereolithography, 395
Stimuli sensitive, 195
Strain at fracture, 22
Subcutaneous, 222
Sum-frequency generation, 254
Surface coating, 119
Surface energy, 613
Surface erosion, 387, 395
Surface grafting, 507
Surface modification, 149, 283, 438, 514
Surface-modifying end group, 254
Surface reactions, 404
Surface textures, 56
Sutures, 73

Teflon® AF, 567
Tensile strength, 73
TGF-β1, 204
Thermal analysis, 214
Thermo-responsive culture surface, 464
Ti6Al4V, 56, 412

Ti6Al7Nb, 412
Tissue engineering, 185, 323, 350, 438, 499, 532
Titanium, 149, 169, 204, 412
Titanium fiber mesh, 350
Titanium implant, 567
Tooth root replica, 89
Transcription, 579
Tricalcium phosphate, 457
Trifunctional methacrylate, 622
Trimethylene carbonate, 387
2-methacryloyloxyethyl phosphorylcholine, 214
Tyrosine phosphorylation, 157

UHMWPE, 540
Ultimate tensile strength, 22
Unicortical window defect, 1

Vascular endothelium, 514
Vascular graft, 315
Viability, 372
Visible light, 387
Vitamin E derivative, 299

Water-solubility, 622
Wear debris, 488
Wetting tension hysteresis, 567

XANES, 550
X-ray photoelectron spectroscopy, 430

Zinc, 457